



ISIS5425.ST25.txt  
SEQUENCE LISTING

<110> Manoharan, Muthiah  
Cook, Phillip Dan  
Bennett, Clarence Frank

<120> DERIVATIZED OLIGONUCLEOTIDES HAVING IMPROVED UPTAKE AND OTHER  
PROPERTIES

<130> ISIS-5425

<140> US 10/755,166  
<141> 2004-01-09

<150> US 10/073,718  
<151> 2002-02-11

<150> US 09/633,659  
<151> 2000-08-07

<150> US 08/211,882  
<151> 1994-04-22

<150> PCT/US92/09196  
<151> 1992-10-23

<160> 47

<170> PatentIn version 3.3

<210> 1  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> oligonucleotide

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> nucleotide functionalized to include a cholic acid linked via a  
linker to the heterocyclic base of a 2'-deoxyuridine nucleotide

<400> 1  
ttgcttccat cttcctcgtc

20

<210> 2  
<211> 17  
<212> DNA  
<213> Artificial

<220>  
<223> oligodeoxynucleotide

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> cholic acid

<220>  
<221> misc\_feature  
<222> (1)..(16)  
<223> phosphorothioate inter-nucleotide backbone linkage

<400> 2  
ctgtctccat cttcact

17

<210> 3  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> oligodeoxynucleotide

<220>  
<221> misc\_feature  
<222> (1)..(19)  
<223> phosphorothioate inter-nucleotide backbone linkage

<220>  
<221> misc\_feature  
<222> (20)..(20)  
<223> cholic acid

<400> 3  
ctgtctccat cctcttcact

20

<210> 4  
<211> 18  
<212> DNA  
<213> Artificial

<220>  
<223> oligodeoxynucleotide

<220>  
<221> misc\_feature  
<222> (1)..(17)  
<223> phosphorothioate inter-nucleotide backbone linkage

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> cholic acid

<400> 4  
tgggagccat agcgaggc

18

<210> 5  
<211> 17  
<212> DNA  
<213> Artificial

<220>  
<223> oligonucleotide

<220>  
<221> misc\_feature  
<222> (1)..(16)  
<223> phosphorothioate inter-nucleotide backbone linkage

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> cholic acid

<220>  
 <221> misc\_feature  
 <222> (17)..(17)  
 <223> cholic acid

<400> 5  
 ctgtctccat cttcact

17

<210> 6  
 <211> 12  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligodeoxynucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> cholic acid

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> phosphorothioate

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> 2'-O-methyl

<400> 6  
 cccaagcuca ga

12

<210> 7  
 <211> 12  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligodeoxynucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> phosphorothioate

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> 2'-O-methyl

<220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> cholic acid

<400> 7  
 cccaagcuca ga

12

<210> 8  
 <211> 12

<212> RNA  
 <213> Artificial  
 <220>  
 <223> oligodeoxynucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> cholic acid

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> phosphorothioate

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> 2'-O-methyl

<400> 8  
 gagcucccag gc 12

<210> 9  
 <211> 11  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> pentyl-N-phthalimido

<400> 9  
 ggctgactgc g 11

<210> 10  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> pentyl-N-phthalimido functionality

<400> 10  
 ctgtctccat cctcttcact 20

<210> 11  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>

<223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> pentyl-N-phthalimido functionality

<220>  
 <221> misc\_feature  
 <222> (18)..(18)  
 <223> pentyl-N-phthalimido functionality

<400> 11  
 ctgtctccat cctcttcact 20

<210> 12  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(19)  
 <223> phosphorothioate inter-nucleotide backbone linkage

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> pentyl-N-phthalimido functionality

<400> 12  
 ttgcttccat cttcctcgtc 20

<210> 13  
 <211> 18  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(17)  
 <223> phosphorothioate inter-nucleotide backbone linkage

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> pentyl-N-phthalimido functionality

<400> 13  
 tgggagccat agcgaggc 18

<210> 14  
 <211> 18  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(17)  
 <223> phosphorothioate inter-nucleoside backbone linkage

<220>  
 <221> misc\_feature  
 <222> (5)..(5)  
 <223> pentyl-N-phthalimido functionality

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> pentyl-N-phthalimido functionality

<220>  
 <221> misc\_feature  
 <222> (11)..(11)  
 <223> pentyl-N-phthalimido functionality

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> pentyl-N-phthalimido functionality

<400> 14  
 tgggagccat agcgaggc

18

<210> 15  
 <211> 12  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> 2'-O-methyl

<220>  
 <221> misc\_feature  
 <222> (4)..(4)  
 <223> pentyl-N-phthalimido functionality

<220>  
 <221> misc\_feature  
 <222> (5)..(12)  
 <223> 2'-O-methyl

<400> 15  
 ccaagccuca ga

12

<210> 16  
 <211> 12  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(10)  
 <223> 2'-O-methyl

<220>  
 <221> misc\_feature  
 <222> (11)..(11)  
 <223> pentyl-N-phthalimido functionality

<220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> 2'-O-methyl

<400> 16  
 ccaggcucag at 12

<210> 17  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> biotin functionality linked via a 2'-O-pentyl-amino linking group

<400> 17  
 ctgtctccat cctcttcact 20

<210> 18  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> biotin functionality linked via a 2'-O-pentyl-amino linking group

<220>  
 <221> misc\_feature  
 <222> (18)..(18)  
 <223> biotin functionality linked via a 2'-O-pentyl-amino linking group

<400> 18  
 ctgtctccat cctcttcact 20

<210> 19  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>

<223> oligonucleotide

<220>

<221> misc\_feature

<222> (9)..(9)

<223> fluorescein functionality linked via a 2'-O-pentyl-amino linking group

<400> 19

ctgtctccat cctcttcact

20

<210> 20

<211> 20

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide

<220>

<221> misc\_feature

<222> (9)..(9)

<223> fluorescein functionality linked via a 2'-O-pentyl-amino linking group

<220>

<221> misc\_feature

<222> (18)..(18)

<223> fluorescein functionality linked via a 2'-O-pentyl-amino linking group

<400> 20

ctgtctccat cctcttcact

20

<210> 21

<211> 20

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide

<220>

<221> misc\_feature

<222> (9)..(9)

<223> cholic acid functionality linked via a 2'-O-pentyl-amino linking group

<400> 21

ctgtctccat cctcttcact

20

<210> 22

<211> 20

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide

<220>

<221> misc\_feature



ISIS5425.ST25.txt

```

<222> (9)..(9)
<223> cholic acid functionality linked via a 2'-O-pentyl-amino linking
      group

<220>
<221> misc_feature
<222> (18)..(18)
<223> cholic acid functionality linked via a 2'-O-pentyl-amino linking
      group

<400> 22                                     20
ctgtctccat cctcttcact

<210> 23
<211> 20
<212> DNA
<213> Artificial

<220>
<223> oligonucleotide

<220>
<221> misc_feature
<222> (9)..(9)
<223> digoxigenin functionality linked via a 2'-O-pentyl-amino linking
      group

<400> 23                                     20
ctgtctccat cctcttcact

<210> 24
<211> 7
<212> PRT
<213> Artificial

<220>
<223> oligonucleotide-maleimide conjugate

<400> 24
Pro Asp Lys Lys Arg Lys Cys
1          5

<210> 25
<211> 20
<212> DNA
<213> Artificial

<220>
<223> oligonucleotide

<220>
<221> misc_feature
<222> (9)..(9)
<223> SV40 peptide functionality linked via a 2'-O-pentyl-amino-
      sulfo-SMCC (sulfosuccinimidyl-4-(N-maleimidomethyl)
      cyclohexane-1-carboxylate) linking group

<400> 25                                     20
ctgtctccat cctcttcact

<210> 26

```

<211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> alkaline phosphatase functionality linked via a  
 2'-O-pentyl-amino-sulfo-SMCC (sulfosuccinimidyl-4-  
 (N-maleimidomethyl)cyclohexane-1-carboxylate) linking group

<400> 26  
 ctgtctccat cctcttcact 20

<210> 27  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> functionalized to include a peptide linked via an extended linker  
 to the heterocyclic base of a 2'-deoxyuridine nucleotide

<400> 27  
 ttgcttccat cttcctcgtc 20

<210> 28  
 <211> 12  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(11)  
 <223> phosphorothioate inter-nucleotide backbone linkage

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> 2'-O-methyl

<400> 28  
 cccaggcuca ga 12

<210> 29  
 <211> 12  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Staphylococcal Nuclease

<220>  
 <221> misc\_feature  
 <222> (1)..(11)  
 <223> phosphorothioate inter-nucleotide backbone linkage

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> 2'-O-methyl

<400> 29  
 cccaggcuca ga 12

<210> 30  
 <211> 16  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<400> 30  
 tccagggtgtc cgcac 16

<210> 31  
 <211> 17  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (3)..(3)  
 <223> functionalized to incorporate a pentylamino functionality at its 2'-position

<220>  
 <221> misc\_feature  
 <222> (8)..(9)  
 <223> functionalized to incorporate a pentylamino functionality at its 2'-position

<220>  
 <221> misc\_feature  
 <222> (13)..(13)  
 <223> functionalized to incorporate a pentylamino functionality at its 2'-position

<220>  
 <221> misc\_feature  
 <222> (16)..(16)  
 <223> functionalized to incorporate a pentylamino functionality at its 2'-position

<400> 31  
 ggaccggaag gtacgag 17

<210> 32  
 <211> 17  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<400> 32  
 cctggccttc catgctc

17

<210> 33  
 <211> 17  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<400> 33  
 ccuggccuuc caugcuc

17

<210> 34  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(20)  
 <223> complementary to the translation initiation region of the E2 gene  
 of bovine papilloma virus type 1 (BPV-1)

<400> 34  
 ctgtctccat cctcttcact

20

<210> 35  
 <211> 12  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> 2'-O-methyl

<400> 35  
 cccaggcuca ga

12

<210> 36  
 <211> 12  
 <212> RNA  
 <213> Artificial

<220>  
<223> oligonucleotide

<220>  
<221> misc\_feature  
<222> (1)..(12)  
<223> 2'-O-methyl

<400> 36  
gagcucccag gc 12

<210> 37  
<211> 12  
<212> RNA  
<213> Artificial

<220>  
<223> oligonucleotide

<400> 37  
caugcugcag cc 12

<210> 38  
<211> 18  
<212> DNA  
<213> Artificial

<220>  
<223> oligonucleotide

<220>  
<221> misc\_feature  
<222> (1)..(18)  
<223> phosphorothioate inter-nucleotide backbone linkage

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> 3'-aminolinker

<400> 38  
tgggagccgt agcgaggc 18

<210> 39  
<211> 21  
<212> RNA  
<213> Artificial

<220>  
<223> oligonucleotide

<220>  
<221> misc\_feature  
<222> (21)..(21)  
<223> functionalized to incorporate a propyl-N-phthalimido  
functionality

<400> 39  
ggcgucucca ggggaucuga c 21

<210> 40

<211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (20)..(20)  
 <223> functionalized to incorporate a propyl-N-phthalimido  
 functionality

<400> 40  
 tctgagtagc agaggagctc 20

<210> 41  
 <211> 21  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (21)..(21)  
 <223> functionalized at its 2'-position with phenanthroline via a thiol  
 linker

<400> 41  
 ggcgucucca ggggaucuga c 21

<210> 42  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (20)..(20)  
 <223> functionalized at its 2'-position with phenanthroline via a thiol  
 linker

<400> 42  
 tctgagtagc agaggagctc 20

<210> 43  
 <211> 31  
 <212> RNA  
 <213> Artificial

<220>  
 <223> oligonucleotide

<220>  
 <221> misc\_feature  
 <222> (23)..(23)

<223> functionalized to incorporate a propyl-N-phthalimido  
functionality

<400> 43  
ggccagaucu gagccuggga gcucuguggc c

31

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> oligonucleotide

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> 2'-O-pentyl amino adenosine

<400> 44  
ttgcttccat cttcctcgtc

20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> oligonucleotide

<220>  
<221> misc\_feature  
<222> (1)..(20)  
<223> single site sequence

<400> 45  
ctgtctccat cctcttcact

20

<210> 46  
<211> 18  
<212> DNA  
<213> Artificial

<220>  
<223> oligonucleotide

<220>  
<221> misc\_feature  
<222> (11)..(11)  
<223> functionalized to incorporate a 2'-O-pentylamino linking group

<400> 46  
tgggagccgt agcgaggc

18

<210> 47  
<211> 18  
<212> DNA  
<213> Artificial

<220>  
<223> oligonucleotide

ISIS5425.ST25.txt

<400> 47  
tgggagccat agcgaggc

18